






Schweizerische Eidgenossenschaft
 Confédération suisse
 Confederazione Svizzera
 Confederaziun svizra

Swiss Confederation

Federal Office of Civil Aviation FOCA

AIR OPERATOR CERTIFICATE


(Approval schedule for air transport operators)

Types of operation:		Commercial air transport (CAT) <input checked="" type="checkbox"/> Passengers; <input type="checkbox"/> Cargo;
		<input checked="" type="checkbox"/> Other: Emergency Medical Service
	Switzerland	
	Federal Office of Civil Aviation FOCA	
AOC: CH.AOC.1015	Swiss Air-Ambulance Ltd	Operational points of contact: attachment to this document Contact details, at which operational management can be contacted without undue delay, are listed in the OM-A Chapter 1.
	P.O. Box 1414, 8058 Zürich	
	Telephone: +41 44 654 35 25	
	Fax: +41 44 654 35 36	
	E-mail: ops@rega.ch	
This certificate certifies that Swiss Air-Ambulance Ltd is authorised to perform commercial air operations, as defined in the attached operations specifications, in accordance with the operations manual, Annex V to Regulation (EU) 2018/1139 and its delegated and implementing acts.		
Date of issue:		
30.10.2022		
	Fritz Messerli Head of Safety Division - Flight Operations	25.11.2022 certified true copy 



OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: CH.AOC.1015	Operator Name: Swiss Air-Ambulance Ltd	Date: 24.11.2022	Signature:  Roger Wellauer Head of section Operations of Complex Airplanes	
Dba trading name:				
Operations specifications: CH.OPSSPEC.1015.CL60				
Aircraft Model:		CANADAIR CL600 2B16 604		
Registration Marks:		HB-JWA, HB-JWB, HB-JWC		
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Emergency Medical Service				
Area of operation:		between 60 S and 80 N		
Special limitations:				
Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 125 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT II DH: 100 ft, RVR: 300 m	
Operational Credits	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
ETOPS <input type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Maximum diversion time: [...]min. or [...] NM	
Complex navigation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		





Specific approvals:	Yes	No	Specification	Remarks
specifications for PBN operations				
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NAT HLA RSP 180 RCP 240	
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.CAMO.1015 CR (EU) 1321/2014, Part CAMO	
Other / Non-ETOPS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: 180min. or 1050 NM	
Other / Short landing operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		LSZA