



# AIR OPERATOR CERTIFICATE

## (Approval schedule for air transport operators)

<b>Types of operation:</b>		Commercial air transport (CAT) <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)
	Switzerland	
	Federal Office of Civil Aviation FOCA	
<b>AOC: CH.AOC.3030</b>	<b>Swiss Air-Ambulance Ltd</b>	Operational points of contact: attachment to this document  Contact details, at which operational management can be contacted without undue delay, are listed in the OMM Chapter 2.
	<b>PO Box 1414, CH-8058 Zürich</b>	
AOC Expiry date: Valid until revoked, suspended or cancelled	Telephone: +41 44 654 35 25 Fax: +41 44 654 35 36 E-mail: ops@rega.ch	
This certificate certifies that <b>Swiss Air-Ambulance Ltd</b> is authorised to perform commercial air operations, as defined in the attached operations specifications, in accordance with the operations manual, Annex IV to Regulation (EC) No 216/2008 and its Implementing Rules.		
Date of issue:	 Roland Steiner Head of Safety Division - Flight Operations	
21.04.2017		



Schweizerische Eidgenossenschaft  
Confédération suisse  
Confederazione Svizzera  
Confederaziun svizra

Swiss Confederation

Federal Department of the Environment, Transport, Energy and  
Communications DETEC

Federal Office of Civil Aviation FOCA  
Safety Division - Flight Operations

# OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: <b>CH.AOC.3030</b>	Operator Name: <b>Swiss Air-Ambulance Ltd</b>	Date: 11.07.2019	Signature:  Nicola Garovi Head of section Helicopter Flight Operations	
	Db a trading name:			
Operations specifications: CH.OPSSPEC.3030.HB-ZQG				
Aircraft Model:	MBB BK117 D2			
Registration Marks:	HB-ZQG			
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)				
Area of operation:	Europe			
Special limitations:				
Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 500 m, DH: 200 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: 200 m, DH: 50 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: 75 m, DH: ... ft	
RVSM	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		




Specific approvals:	Yes	No	Specification	Remarks
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: [...]min. or [...] NM	
Complex navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP 0.3	
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter hoist operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter emergency medical service operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.MG.3030 EU1321/2014, Part M Subpart G	
Other / Aircraft used for non-commercial operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland



# OPERATIONS SPECIFICATIONS

**(subject to the approved conditions in the operations manual)**

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: <b>CH.AOC.3030</b>	Operator Name: <b>Swiss Air-Ambulance Ltd</b>	Date: 11.07.2019	Signature:  Nicola Garovi Head of section Helicopter Flight Operations	
Db a trading name:				
Operations specifications: CH.OPSSPEC.3030.HB-ZQH				
Aircraft Model:	MBB BK117 D2			
Registration Marks:	HB-ZQH			
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)				
Area of operation:	Europe			
Special limitations:				
Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 500 m, DH: 200 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: 200 m, DH: 50 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: 75 m, DH: ... ft	
RVSM	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		




Specific approvals:	Yes	No	Specification	Remarks
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: [...]min. or [...] NM	
Complex navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP 0.3	
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter hoist operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter emergency medical service operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.MG.3030 EU1321/2014, Part M Subpart G	
Other / Aircraft used for non-commercial operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland



# OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: <b>CH.AOC.3030</b>	Operator Name: <b>Swiss Air-Ambulance Ltd</b>	Date: 11.07.2019	Signature:  Nicola Garovi Head of section Helicopter Flight Operations	
Db a trading name:				
Operations specifications: CH.OPSSPEC.3030.HB-ZQI				
Aircraft Model: MBB BK117 D2				
Registration Marks: HB-ZQI				
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)				
Area of operation: Europe				
Special limitations:				
Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 500 m, DH: 200 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: 200 m, DH: 50 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: 75 m, DH: ... ft	
RVSM	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		





Specific approvals:	Yes	No	Specification	Remarks
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: [...]min. or [...] NM	
Complex navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP 0.3	
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter hoist operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter emergency medical service operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.MG.3030 EU1321/2014, Part M Subpart G	
Other / Aircraft used for non-commercial operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland



# OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: <b>CH.AOC.3030</b>	Operator Name: <b>Swiss Air-Ambulance Ltd</b>	Date: 11.07.2019	Signature:  Nicola Garovi Head of section Helicopter Flight Operations	
Db a trading name:				
Operations specifications: CH.OPSSPEC.3030.HB-ZQJ				
Aircraft Model:		MBB BK117 D2		
Registration Marks:		HB-ZQJ		
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)				
Area of operation:		Europe		
Special limitations:				
Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 500 m, DH: 200 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: 200 m, DH: 50 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: 75 m, DH: ... ft	
RVSM	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		





Specific approvals:	Yes	No	Specification	Remarks
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: [...]min. or [...] NM	
Complex navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP 0.3	
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter hoist operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter emergency medical service operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.MG.3030 EU1321/2014, Part M Subpart G	
Other / Aircraft used for non-commercial operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland



# OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: <b>CH.AOC.3030</b>	Operator Name: <b>Swiss Air-Ambulance Ltd</b>	Date: 11.07.2019	Signature:  Nicola Garovi Head of section Helicopter Flight Operations	
Dba trading name:				
Operations specifications: CH.OPSSPEC.3030.HB-ZQL				
Aircraft Model:	MBB BK117 D2			
Registration Marks:	HB-ZQL			
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)				
Area of operation:	Europe			
Special limitations:				
Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 500 m, DH: 200 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: 200 m, DH: 50 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: 75 m, DH: ... ft	
RVSM	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		



Specific approvals:	Yes	No	Specification	Remarks
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: [...]min. or [...] NM	
Complex navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP 0.3	
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter hoist operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter emergency medical service operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.MG.3030 EU1321/2014, Part M Subpart G	
Other / Aircraft used for non-commercial operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland



# OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: <b>CH.AOC.3030</b>	Operator Name: <b>Swiss Air-Ambulance Ltd</b>	Date: 11.07.2019	Signature:  Nicola Garovi Head of section Helicopter Flight Operations	
Dba trading name:				
Operations specifications: CH.OPSSPEC.3030.HB-ZQM				
Aircraft Model:	MBB BK117 D2			
Registration Marks:	HB-ZQM			
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)				
Area of operation:	Europe			
Special limitations:				
Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 500 m, DH: 200 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: 200 m, DH: 50 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: 75 m, DH: ... ft	
RVSM	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		



Specific approvals:	Yes	No	Specification	Remarks
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: [...]min. or [...] NM	
Complex navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP 0.3	
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter hoist operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter emergency medical service operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.MG.3030 EU1321/2014, Part M Subpart G	
Other / Aircraft used for non-commercial operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland



Schweizerische Eidgenossenschaft  
Confédération suisse  
Confederazione Svizzera  
Confederaziun svizra

Swiss Confederation

Federal Department of the Environment, Transport, Energy and  
Communications DETEC

Federal Office of Civil Aviation FOCA  
Safety Division - Flight Operations

# OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: <b>CH.AOC.3030</b>	Operator Name: <b>Swiss Air-Ambulance Ltd</b>	Date: 11.07.2019	Signature:  Nicola Garovi Head of section Helicopter Flight Operations	
Dba trading name:				
Operations specifications: CH.OPSSPEC.3030.HB-ZQN				
Aircraft Model:	MBB BK117 D2			
Registration Marks:	HB-ZQN			
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)				
Area of operation:	Europe			
Special limitations:				
Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 500 m, DH: 200 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: 200 m, DH: 50 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: 75 m, DH: ... ft	
RVSM	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		



Specific approvals:	Yes	No	Specification	Remarks
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: [...]min. or [...] NM	
Complex navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP 0.3	
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter hoist operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter emergency medical service operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.MG.3030 EU1321/2014, Part M Subpart G	
Other / Aircraft used for non-commercial operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland



Schweizerische Eidgenossenschaft  
Confédération suisse  
Confederazione Svizzera  
Confederaziun svizra  
  
Swiss Confederation

Federal Department of the Environment, Transport, Energy and  
Communications DETEC

Federal Office of Civil Aviation FOCA  
Safety Division - Flight Operations

# OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: <b>CH.AOC.3030</b>	Operator Name: <b>Swiss Air-Ambulance Ltd</b>	Date: 14.06.2022	Signature: 	
	Db a trading name:		Nicola Garovi Head of Section Helicopter Flight Operations	
Operations specifications: CH.OPSSPEC.3030.HB-ZQO				
Aircraft Model:	MBB BK117 D3			
Registration Marks:	HB-ZQO			
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)				
Area of operation:	Europe			
Special limitations:				
<b>Specific approvals:</b>	<b>Yes</b>	<b>No</b>	<b>Specification</b>	<b>Remarks</b>
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Approach and Landing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CAT I RVR: 500 m, DH: 200 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT II RVR: 300 m, DH: 100 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIA RVR: 200 m, DH: 50 ft	
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAT IIIB RVR: 75 m, DH: ... ft	
RVSM	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		



Specific approvals:	Yes	No	Specification	Remarks
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input type="checkbox"/>	Maximum diversion time: [...]min. or [...] NM	
Complex navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP 0.3	
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter hoist operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter emergency medical service operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.MG.3030 CR (EU) 1321/2014, Part CAMO	
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland



# OPERATIONS SPECIFICATIONS

**(subject to the approved conditions in the operations manual)**

Issuing Authority Contact Details				
Telephone: +41 58 465 80 39/40		Fax: +41 58 465 80 32		
Email: SB_Info@bazl.admin.ch				
AOC: <b>CH.AOC.3030</b>	Operator Name: <b>Swiss Air-Ambulance Ltd</b>	Date: 18.07.2024	Signature:	
	Db a trading name:		 _____ Nicola Garovi Head of section Helicopter Flight Operations	
Operations specifications: CH.OPSSPEC.3030.AW109SP				
Aircraft Model:	AGUSTA AW109 SP			
Registration Marks:	HB-ZRN, HB-ZRP, HB-ZRQ, HB-ZRR, HB-ZRS, HB-ZRT, HB-ZRU, HB-ZRW, HB-ZRX, HB-ZRY, HB-ZRZ			
Types of operations: Commercial air transport <input checked="" type="checkbox"/> Passengers; <input checked="" type="checkbox"/> Cargo; <input checked="" type="checkbox"/> Other: Helicopter Emergency Medical Service (HEMS)				
Area of operation:	Europe			
Special limitations:				
Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low Visibility Operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RVR: 150 m	
Operational Credits	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
RVSM	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		
ETOPS	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/>		
Complex navigation specifications for PBN operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RNP 0.3 (all phases of flight) RNP AR APCH 0.3	



Specific approvals:	Yes	No	Specification	Remarks
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter hoist operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter emergency medical service operations	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Reduced VFR operating minima on helicopter point-in-space approaches and departures	<input checked="" type="checkbox"/>	<input type="checkbox"/>	According SPA HEMS operations	
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	according to OM-A 8.9	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CH.CAMO.3030 CR (EU) 1321/2014, Part CAMO	
Other / ACAS/TCAS I	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland