

Federal Office of Civil Aviation FOCA

## AIR OPERATOR CERTIFICATE

#### (Approval schedule for air transport operators)

Types of operation:	Commercial air transport (CAT) ☑F	Passengers;
	☑Other: Helicopter Emergency Medic	al Service (HEMS)
	Switzerland	
	Federal Office of Civil Aviation FOCA	*
AOC: CH.AOC.3030	Swiss Air-Ambulance Ltd	Operational points of contact: attachment to this document
*	P.O. Box 1414, 8058 Zürich	
	Telephone: +41 44 654 35 25	Contact details, at which operational management
	Fax: +41 44 654 35 36	can be contacted without
	E-mail: ops@rega.ch	undue delay, are listed in the OMM Chapter 2.


This certificate certifies that **Swiss Air-Ambulance Ltd** is authorised to perform commercial air operations, as defined in the attached operations specifications, in accordance with the operations manual, Annex V to Regulation (EU) 2018/1139 and its delegated and implementing acts.

Date of issue:

29.07.2024

Fritz Messerli Head of

Safety Division - Flight Operations




**Federal Office of Civil Aviation FOCA** Safety Division - Flight Operations

**Swiss Confederation** 

# **OPERATIONS SPECIFICATIONS**

Issuing Authority Contact Details									
Telephone: +41 58 465 80 39/40 Fax: +41 58 465 80 32									
Email: SB_Info@bazl.admin.ch									
'	Operator Name: Swiss Air-Ambulance Ltd			29.09.2025	Signature:	BERN SERVICE			
Dba tr	name:			Nicola Garovi Head of section Helicopter Flight Operations					
Operations specifications:	CH.OP	SSPE	C.3030	0.MBB BK117 D2					
Aircraft Model:	AIRBU	S HEL	ICOP.	TERS MBB BK117	' D2				
Registration Marks:	HB-ZQ	M, HE	3-ZQN						
Types of operations: Commercial air transport ☑Passengers; ☑Cargo; ☑Other: Helicopter Emergency Medical Service (HEMS)									
Area of operation: Europe									
Special limitations:									
Specific approvals:		Yes	No	Specification		Remarks			
Dangerous goods		Ø							
Low Visibility Operations									
Take-off	Take-off □ RVR: 150 m								
Approach and Landing	roach and Landing								
Operational Credits			V						
RVSM [	<b></b> ☑N/A								
	<b></b> ☑N/A								
Complex navigation specifications for PBN		Ø		RNP 0.3 (all pha	ses of flight)				




Federal Department of the Environment, Transport, Energy and Communications DETEC

Federal Office of Civil Aviation FOCA Safety Division - Flight Operations

Specific approvals:	Yes	No	Specification	Remarks
operations				
Minimum navigation performance specification		V		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)		V		
Helicopter operations with the aid of night vision imaging systems	Ø			
Helicopter hoist operations				
Helicopter emergency medical service operations	Ø			
Helicopter offshore operations				
Reduced VFR operating minima on helicopter point-in- space approaches and departures	Ø			
Cabin crew training		Ø		
Issue of CC attestation		Ø		
Use of type B EFB applications	Ø		according to OM-A 8.9	
Continuing airworthiness	Ø		CH.CAMO.3030 CR (EU) 1321/2014, Part CAMO	
Other / ACAS/TCAS I				
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	Ø			
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	Ø			
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	M			Area: Switzerland
Other / Helicopter national medical and rescue flights	Ø		As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	Ø		As specified in the operations manual (OM) Not valid for CAT operations	Area: Switzerland

According to Swiss regulations




**Federal Office of Civil Aviation FOCA** Safety Division - Flight Operations

**Swiss Confederation** 

## **OPERATIONS SPECIFICATIONS**

Issuing Authority Contact Details									
Telephone: +41 58	465 80 39/40	)	Fax: +41 58 465 8	30 32					
Email: SB_Info@bazl.admin.ch									
CH.AOC.3030	Operator Nai Swiss Air-Ai Ltd			Date: 29.09.2025	Signature:	BERN			
	Ltu								
	Dba trading r	name:		Nicola Garovi Head of section Helicopter Flight Operations					
Operations specifica	tions: CH.OF	SSPE	C.303	0.MBB BK117 D3					
Aircraft Model:	AIRBU	JS HEL	_ICOP	TERS MBB BK117	7 D3				
Registration Marks:	HB-TII HB-TII			B-TID, HB-TIE, HE	B-TIF, HB-TIG, HB-	TIH, HB-TII, HB-TIJ,			
Types of operations: Commercial air transport ☑Passengers; ☑Cargo; ☑Other: Helicopter Emergency Medical Service (HEMS)									
Area of operation: Europe									
Special limitations:									
Specific approvals:		Yes	No	Specification		Remarks			
Dangerous goods		V							
Low Visibility Operat	ions								
Take-off		$\square$		RVR: 150 m					
Approach and Landi	ng		☑						
Operational Credits			Ø						
RVSM	<b>☑</b> N/A								
ETOPS	⊠N/A								
Complex navigation specifications for PB	N	V		RNP 0.3 (all pha	ses of flight)				




Safety Division

Federal Department of the Environment, Transport, Energy and Communications DETEC

Federal Office of Civil Aviation FOCA Safety Division - Flight Operations

Specific approvals:	Yes	No	Specification	Remarks
operations				
Minimum navigation performance specification		Ø		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)				
Helicopter operations with the aid of night vision imaging systems	V			
Helicopter hoist operations	V			
Helicopter emergency medical service operations	V			
Helicopter offshore operations		$\overline{\mathbf{A}}$		
Reduced VFR operating minima on helicopter point-in-space approaches and departures	V			
Cabin crew training				
Issue of CC attestation		V		
Use of type B EFB applications	V		according to OM-A 8.9	
Continuing airworthiness	Ø		CH.CAMO.3030 CR (EU) 1321/2014, Part CAMO	
Other / ACAS/TCAS I	V			
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	V			
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	V			
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	$\Sigma$			Area: Switzerland
Other / Helicopter national medical and rescue flights	V		As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	Ŋ		As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland




Federal Office of Civil Aviation FOCA Safety Division - Flight Operations

**Swiss Confederation** 

## **OPERATIONS SPECIFICATIONS**


Issuing Authority Contact Details								
Telephone: +41 58	465 80 39/40	)	Fax: +41 58 465 80 32					
Email: SB_Info@bazl.admin.ch								
AOC: CH.AOC.3030	Operator Na Swiss Air-A Ltd		4.	Pate: 8.07.2024	Signature:	the state of the s		
Dba trading name:					Nicola Garovi Head of section Helicopter Flight Operations	Olville - As		
Operations specifica	ations: CH.OF	PSSPE	D.3030	AW109SP				
Aircraft Model:	AGUS	STA AW	109 SP	)				
Registration Marks:				IB-ZRQ, HB-ZRR ZRY, HB-ZRZ	R, HB-ZRS, HB-ZRT, HB-	-ZRU, HB-		
	Types of operations: Commercial air transport ☑Passengers; ☑Cargo; ☑Other: Helicopter Emergency Medical Service (HEMS)							
Area of operation: Europe								
Special limitations:	Special limitations:							
Specific approvals	:	Yes	No	Specification		Remarks		
Dangerous goods		V						
Low Visibility Opera	tions							
Take-off		☑		RVR: 150 m				
Operational Credits			V					
RVSM	⊠N/A							
ETOPS	⊠N/A							
Complex navigation specifications for PE operations		☑		RNP 0.3 (all ph RNP AR APCH				



Federal Office of Civil Aviation FOCA Safety Division - Flight Operations

Swiss Confederation

Specific approvals:	Yes	No	Specification	Remarks
Minimum navigation performance specification		$\overline{\checkmark}$		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)		Ø		
Helicopter operations with the aid of night vision imaging systems	Ø			
Helicopter hoist operations				
Helicopter emergency medical service operations	Ø			
Helicopter offshore operations				
Reduced VFR operating minima on helicopter point-in-space approaches and departures	V		According SPA HEMS operations	
Cabin crew training		$\overline{\checkmark}$		
Issue of CC attestation		V		
Use of type B EFB applications	Ø		according to OM-A 8.9	
Continuing airworthiness	V		CH.CAMO.3030 CR (EU) 1321/2014, Part CAMO	
Other / ACAS/TCAS I				
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site	Ø			
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	V			
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	V		Not valid for HEMS operations	Area: Switzerland
Other / Helicopter national medical and rescue flights	Ø		As specified in the operations manual (OM) According to Swiss regulations	Area: Switzerland
Other / Helicopter departure in fog (HDF)	V		As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland




**Federal Office of Civil Aviation FOCA** Safety Division - Flight Operations

**Swiss Confederation** 

## **OPERATIONS SPECIFICATIONS**

Issuing Authority Contact Details								
Telephone: +41 58	465 80 39/40	)	Fax: +41 58 465 80 32					
Email: SB_Info@bazl.admin.ch								
AOC:	Operator Na	me.		ate:	Signature:			
CH.AOC.3030	Swiss Air-A Ltd			5.03.2025	olginataro.	ii wa a a a a a a a a a a a a a a a a a		
Dba trading name:					Nicola Garovi Head of section Helicopter Flight Operations	- SHVO MILE		
Operations specifica	ations: CH.OF	PSSPE	C.3030.	HB-ZRJ				
Aircraft Model:	AIRBU	JS HEL	ICOPTI	ERS AS350 B3				
Registration Marks:	HB-ZF	RJ.						
	Types of operations: Commercial air transport ☑Passengers; ☑Cargo; □ Other:							
Area of operation:	Area of operation: Europe							
Special limitations:	VFR o	lay only	,					
Specific approvals	»:	Yes	No	Specification		Remarks		
Dangerous goods		Ø						
Low Visibility Opera	itions							
Take-off			$\square$					
Approach and Land	ing							
Operational Credits			V					
RVSM	⊠N/A							
ETOPS	<b>☑</b> N/A							
Complex navigation specifications for PE			Ø					



Federal Department of the Environment, Transport, Energy and Communications DETEC

Federal Office of Civil Aviation FOCA Safety Division - Flight Operations

Specific approvals:	Yes	No	Specification	Remarks
operations				
Minimum navigation performance specification		Ø		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)		Ø		
Helicopter operations with the aid of night vision imaging systems		Ø		
Helicopter hoist operations		$\square$		
Helicopter emergency medical service operations		☑		
Helicopter offshore operations		☑		
Reduced VFR operating minima on helicopter point-in-space approaches and departures		V		
Cabin crew training		$\square$		
Issue of CC attestation		Ø		
Use of type B EFB applications	Ø		according to OM-A 8.9	
Continuing airworthiness	V		CH.CAMO.3030 CR (EU) 1321/2014, Part CAMO	
Other / CAT.POL.H.225 Helicopter operations to/from a public interest site		V		
Other / CAT.POL.H.305 Helicopter operations without a safe forced landing capability	V			
Other / CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area	$\Sigma$			Area: Switzerland
Other / Helicopter national medical and rescue flights		Ø		Area: Switzerland
Other / Helicopter departure in fog (HDF)	Ø		As specified in the operations manual (OM) Not valid for CAT operations According to Swiss regulations	Area: Switzerland